

PermaGreen® Celebrating 50 years of Reinventing Lawn Care!

(click for info)

**TRIUMPH
GiveAway**

**SAVE
\$1,000**

**TRIUMPH
Trade-in**

**\$2,000 TAX
SAVINGS**

**0 %
FINANCING**

**ELECTRIC
TRIUMPH**

**MAKE MORE
MONEY**

**ON-LINE
PARTS**

PermaGreen.com 800.346.2001

TO BE YOUR BEST - RIDE THE BEST
Scan & ride along to see how
YOU'LL MAKE MORE MONEY ON A PermaGreen®!

**TAKE A
POV RIDE**

PermaGreen® is the registered Trademark , and Patents 6,336,600; 7,954,573; 10,582,656; 11,343,960; and 11,490,559; are the property of Perma-Green Supreme, Inc.

EVERYTHING YOU NEED TO SUCCEED!



MAKE MONEY EVERY DAY – EVERY LAWN!

RIDE HILLS AND

GO THROUGH

36" GATES!



LEAVE NO LAWN BEHIND!

IF TIME IS MONEY:



A PermaGreen IS MONEY IN THE BANK!

THE AFFORDABLE MONEY MACHINE

- **PRODUCTION SPEED - 5 mph;**
- **SPRAY WIDTH – up to 13 feet;**
- **SPREAD AND SPRAY UP TO 3,500 ft²/MIN;**


RIDE'M ALL 2,000 ft² & ABOVE!

RESULTS ARE PRICELESS!




**PATENTED SYSTEMS KEEP ACCURACY UP AND
COSTLY SERVICE CALLS DOWN—WAY DOWN!**

**SPREAD AND SPRAY WIDTHS: SYNCHED TO TWO
GROUND SPEEDS FOR MAXIMUM RESULTS!
NO ADJUSTING...JUST SWITCH NOZZLES!**



Weeds don't have a chance with a PermaGreen!

OUR 1 NOZZLE SPRAYS WIDER THAN



OUR PATENTED OSCILLATING AGITATOR TINES DELIVER INSTANT AND FULL FLOW




TRIUMPH 48v ELECTRIC

FEATURES:

- A. Battery: Swappable 48 volt PROTRXion™ 48v60-TRX 3.2 kWh / 62 Ahr weight 42 lb. (IP65; IP67 when mated)
- B. QUICK CONNECTORS: IP68 rated
- C. CONTROLLER HOUSING
- D. CIRCUIT BREAKER
- E. KEYED SWITCH

FEATURES NOT SHOWN:

- 1. MOTOR: 3000 Kw
- 2. CHARGER: Delta-Q IC1200
- 3. SPRAY CONTROLLER: Tjet DynaJet PWM and



EVERYTHING PermaGreen EXCEPT THE NOISE

SPECIFICATIONS

Factory set	Capacities and Features	Comfort features
<ul style="list-style-type: none"> • Speeds: • 5 mph - High Gear • 3.5 mph - Low gear • Spray Pressure 20 psi • Spray Rate: <ul style="list-style-type: none"> • 1 Quart /1000 Ft² • 48,000 Ft² on board • Area treated/ Minute at 7' wide passes: <ul style="list-style-type: none"> • 3,000 Ft² in high • 2,400 Ft² in low 	<ul style="list-style-type: none"> • Hopper- 3 cu.ft. (150 lb.) • Tanks– 12 gallons (twin 6 gallon side tanks connected together) • Optional 30 psi Pressure unloader valve included. <ul style="list-style-type: none"> • Use to make 8' passes • 3,500 ft² min. in high • Jet agitator included. • 56" L x35.5" W x 42' H • Weight: 500lb empty & 750 lb. full + rider 	<ul style="list-style-type: none"> • Standard Engine: Vanguard 203cc with Noram 2:1 wet Clutch • Special Order engine: Honda GX200 • Transaxle: Peerless 855 Super Duty custom built with: <ul style="list-style-type: none"> • 2-Forward and 1 reverse gears. • Tires RV anti-freeze filled: <ul style="list-style-type: none"> • 18-9.5x8 Kenda • 13-6.5x6 Kenda

STANDARD FEATURES

Patented features	Features	Comfort features
<ul style="list-style-type: none"> • Brake assist Steering • Synchronized spray & spread rates to ground to two speeds • Drop-down handlebars • Hopper agitator tines • Strut steering assist with roll and traction control • Double sided impeller • Articulated steering. • Hand-held Squeeze n' Spray trimmer 	<ul style="list-style-type: none"> • All-wheel brakes with parking brakes • Wheel weights for improved traction, stability, and a low-profile / low Center of Gravity. • Front wheel drive. • Boomless Spray with a broadcast and trim nozzles for high and low gears. • Pressure unloader valve. • Fits through a 36 " gate. • Tires filled w/ antifreeze 	<ul style="list-style-type: none"> • Low-vibration engine mounts, hand-grips, and foot pads. • Ergonomic handlebars, steering and controls at your finger tips. • Shock absorbing, fully articulated design with cushy tires. • Remote controlled: <ul style="list-style-type: none"> • Deflector, • Pattern balancer, • Rate adjusters, • Spray nozzles.